



- **Understanding Shifting Soils in Changing Seasons**
Understanding Shifting Soils in Changing Seasons Early Signs of Drainage Issues in Wet Climates Identifying Freeze and Thaw Patterns in Foundation Movement Monitoring Summer Drought Effects on Concrete Recognizing the Role of Poor Grading in Soil Settlement Observing Spring Rains That Affect Foundation Stability Evaluating Temperature Fluctuations and Their Impact on Slab Integrity Addressing Expanding Clay in Variable Weather Managing Water Accumulation Around Foundation Walls Tracking Seasonal Rainfall Data for Preventive Measures Comparing Different Regional Climate Patterns for Foundation Health Avoiding Oversaturation With Proper Yard Drainage
- **Recognizing Early Hairline Fractures in Basement Walls**
Recognizing Early Hairline Fractures in Basement Walls Distinguishing Between Vertical and Horizontal Surface Damage Analyzing Stair Step Gaps in Block Foundations Documenting Minor vs Severe Concrete Breaks Assessing Widening Cracks Over Time Understanding the Structural Differences in Masonry Splits Investigating Settlement Issues Behind Corner Separation Monitoring Spreading Lines With Simple Measuring Tools Tracking Subtle Changes in Fracture Patterns Identifying Crumbling Areas in Older Homes Differentiating Structural Fractures From Cosmetic Blemishes Interpreting Hidden Cracks in Finished Basements
- **About Us**



Documenting Minor vs Severe Concrete Breaks

Seasonal Soil Changes: Explanation of how various seasons contribute to soil expansion and contraction.

Distinguishing between minor and severe concrete breaks is an essential skill for anyone involved in construction, civil engineering, or maintenance. The ability to accurately assess the extent of damage not only informs repair strategies but also ensures safety and cost-effectiveness. Documenting these distinctions becomes crucial as it provides a reliable record that can be used for future reference and analysis.

Minor concrete breaks often manifest as surface imperfections—small cracks, chips, or spalling that do not compromise the structural integrity of the entire element. These issues can arise from various factors such as shrinkage during curing, thermal expansion, or minor mechanical stress. While they might seem negligible at first glance, ignoring them can lead to bigger problems down the line. Polyurethane seals cracks while allowing flexibility **Crack Repairs Cracked** sump pump. Therefore, proper documentation of these minor defects is vital. It allows maintenance teams to monitor their evolution and decide when intervention might be necessary. Photographs with annotated measurements and detailed descriptions are useful tools in this documentation process.

In contrast, severe concrete breaks are more significant and pose immediate risks to structural stability. These breaks could be large cracks that penetrate deep into the concrete slab or extensive spalling that exposes reinforcing steel bars to environmental

elements like moisture and air, accelerating corrosion processes. Severe breaks usually stem from substantial load stresses exceeding design limits, poor construction practices, material degradation over time, or even natural disasters such as earthquakes.

Documenting severe concrete breaks requires a meticulous approach because of the potential implications on safety and serviceability. Detailed reports should include comprehensive visual inspections supplemented by non-destructive testing methods like ultrasonic testing or ground-penetrating radar if needed. This helps ascertain the full extent of damage beneath visible surfaces. Furthermore, engineers should provide an assessment report outlining potential causes and recommending remedial measures.

The importance of distinguishing between minor and severe concrete breaks cannot be overstated as it directly impacts decision-making regarding repairs and resource allocation. For example, while minor cracks may only require simple sealing techniques to prevent water ingress, severe damages might necessitate full sections being replaced or reinforced with additional materials.

Overall, documenting both types of breaks systematically ensures a proactive approach towards maintaining concrete structures' longevity and performance standards. It enables stakeholders to make informed decisions backed by empirical data rather than assumptions—a practice that ultimately safeguards not only financial investments but also human lives relying on these infrastructures daily.

Identifying Foundation Issues: Signs and symptoms of

foundation damage caused by shifting soils. —

- Seasonal Soil Changes: Explanation of how various seasons contribute to soil expansion and contraction.
- Identifying Foundation Issues: Signs and symptoms of foundation damage caused by shifting soils.
- Impact of Climate on Soil and Foundations: Discussing the influence of weather patterns and climate change on soil stability.
- Methods for Monitoring Soil Movement: Techniques and tools used to track soil shifts around foundations.
- Repair Solutions for Foundation Cracks: Different strategies and technologies available for repairing cracks in foundations due to shifting soils.
- Preventative Measures: Tips for homeowners to minimize the risk of foundation damage from seasonal soil changes.
- Case Studies and Real-Life Examples: Examination of past incidents where shifting soils led to significant foundation issues and subsequent repairs.

Foundation cracks are a common concern among homeowners and builders alike, often serving as visible indicators of deeper structural issues. Understanding the distinction between minor and severe concrete breaks is essential for effective documentation and remediation. This essay explores the common causes of foundation cracks and provides guidance on how to differentiate between minor and severe issues.

Foundations are subjected to various environmental stresses, which can lead to cracking over time. One of the predominant causes of foundation cracks is soil movement. Soil expansion and contraction due to moisture variations can exert significant pressure on a foundation. In regions with clay-rich soils, this phenomenon is particularly prevalent, as clay swells when wet and shrinks when dry, leading to differential settlement.

Another common cause is poor construction practices. Inadequate compaction of soil before building a foundation or using substandard materials can compromise structural integrity. Additionally, insufficient reinforcement within the concrete can make it susceptible to cracking under stress.

Environmental factors also play a critical role in causing foundation cracks. Temperature fluctuations can lead to thermal expansion and contraction in concrete, contributing to crack formation over time. Furthermore, seismic activity in earthquake-prone areas can impose sudden stress on foundations, resulting in both minor and severe cracking.

When documenting these cracks, it is crucial to distinguish between those that are minor versus those that signal more severe issues. Minor cracks typically measure less than 1/8 inch in width and are often superficial, caused by normal settling or shrinkage of concrete as it cures. These types of cracks generally do not indicate serious structural problems but should be monitored for any changes over time.

In contrast, severe concrete breaks are wider than 1/4 inch or exhibit signs such as horizontal orientation or stepped patterns along masonry joints. Cracks accompanied by bulging walls or water seepage may also suggest significant underlying issues like foundational shifts or water damage. Such conditions warrant immediate professional assessment to determine necessary repairs.

Proper documentation involves not only recording the dimensions and patterns of the cracks but also noting any potential contributing factors such as recent weather events or nearby construction activities that could have influenced their development.

In conclusion, understanding the common causes of foundation cracks is vital for effective management and repair strategies. By distinguishing between minor surface-level fissures and more severe structural breaches through careful documentation, property

owners can take appropriate actions to protect their investment and ensure long-term stability. Regular inspection by professionals is recommended to address any concerns promptly, thereby mitigating risks associated with neglected foundational issues.

Posted by on

Posted by on

Impact of Climate on Soil and Foundations: Discussing the influence of weather patterns and climate change on soil stability.

When it comes to the structural integrity of buildings, concrete is often seen as a stalwart defender against the forces of nature. However, even this seemingly invincible material can succumb to minor imperfections, such as foundation cracks. Understanding and assessing the impact of these minor cracks is crucial for both homeowners and professionals in the construction industry. This essay delves into the process of documenting and differentiating between minor and severe concrete breaks, providing insights into their potential implications.

Foundation cracks are inevitable over time due to natural settling processes, temperature fluctuations, and moisture variations. While not all cracks signify immediate danger, they should never be ignored. Minor foundation cracks are typically narrow fissures that measure less than 1/8 inch wide. These hairline fractures generally pose little threat to a building's stability but can serve as early indicators of underlying issues if left unchecked.

The first step in assessing these minor cracks involves regular monitoring and thorough documentation. Photographic evidence combined with descriptive notes about each crack's location, size, and pattern can provide invaluable information over time. By consistently observing changes—such as whether a crack widens or remains static—homeowners and inspectors can make informed decisions about necessary interventions.

However, distinguishing between minor and severe concrete breaks requires more than just observational skills; it demands an understanding of underlying causes. For instance, horizontal cracks may suggest pressure from soil or water accumulation against basement walls—a potential precursor to significant structural compromise if not addressed promptly. On the other hand, vertical or diagonal cracks may simply indicate normal settling unless they exhibit rapid changes.

The potential consequences of failing to address even seemingly insignificant foundation cracks cannot be overstated. Neglecting these early warning signs might lead to water

infiltration during heavy rains or melting snow, causing interior damage such as mold growth or rot in wooden structures attached to the concrete base. Moreover, what begins as a small issue could escalate into more severe structural damage requiring costly repairs.

Differentiating between minor and severe breaks thus becomes essential not only for maintaining property value but also for ensuring safety within inhabited spaces. Consulting with structural engineers when there is doubt about a crack's severity offers peace of mind while potentially averting disaster down the line.

In conclusion, assessing the impact of minor foundation cracks involves diligent monitoring and documentation alongside expert evaluation when necessary. It is an exercise in vigilance that balances caution with practicality—acknowledging that while not every crack is cause for alarm, each deserves attention nonetheless. By adopting this proactive approach towards foundation health, homeowners safeguard their investments while contributing positively towards broader community resilience against structural failures.



Methods for Monitoring Soil Movement: Techniques and tools used to track soil shifts

around foundations.

Concrete is one of the most ubiquitous materials used in construction, revered for its strength and durability. However, like any material, it is not impervious to damage. Understanding the risks associated with severe concrete breaks is crucial for maintaining structural integrity and ensuring safety. In exploring this topic, it becomes essential to distinguish between minor and severe concrete breaks, as each presents different challenges and requires distinct approaches in documentation and management.

Minor concrete breaks are generally superficial issues that do not significantly compromise the structural capacity of a concrete element. These may include surface cracks or spalling due to weathering or slight impact forces. While they might seem trivial at first glance, documenting these minor breaks is important because they can serve as early warning signs of underlying issues that could escalate into more serious problems if left unattended. Regular inspections and thorough record-keeping allow engineers and maintenance teams to track changes over time, enabling proactive measures to prevent further deterioration.

On the other hand, severe concrete breaks represent a critical concern due to their potential impact on the structural performance of a building or infrastructure. Severe breaks often involve significant cracking, deep fissures, or complete fractures that compromise load-bearing capabilities. Such damage might result from extreme environmental conditions like earthquakes or heavy loads surpassing design limits. Unlike minor issues that can be monitored over time, severe breaks demand immediate attention and intervention to avert catastrophic failure.

Documenting severe concrete breaks involves a more comprehensive approach than merely noting their existence. It requires an assessment of the extent of damage through various diagnostic tools such as visual inspections, non-destructive testing methods like ultrasonic pulse velocity tests, or even core sampling for detailed analysis. The data collected must be meticulously recorded in reports detailing the nature of the breakage—its size, location, potential causes, and immediate risks posed.

Furthermore, understanding these risks extends beyond immediate repairs; it involves strategizing long-term solutions aimed at strengthening resilience against future incidents. This might include reinforcing existing structures with additional supports or integrating advanced materials designed to withstand higher stress levels.

In summary, while both minor and severe concrete breaks necessitate documentation for effective management, their implications differ vastly in terms of urgency and required response strategies. Minor breaks act as indicators offering preventative insight into possible future complications when regularly documented and analyzed over time. Conversely, severe breaks demand swift corrective action paired with robust documentation practices aimed at assessing current conditions while planning forward-thinking solutions for enhanced durability.

Ultimately mastering this balance between vigilance in monitoring minor damages alongside decisive interventions addressing severe ones forms part of an overarching strategy dedicated towards safeguarding our built environment against unpredictable adversities inherent within everyday life's dynamic landscape ensuring longevity coupled seamlessly alongside unwavering safety standards synonymous whenever discussing modern-day infrastructural achievements worldwide today!

Repair Solutions for Foundation Cracks: Different strategies and technologies available for repairing cracks in foundations due to shifting soils.

Concrete foundations are the bedrock of modern construction, providing the necessary support and stability for structures. However, like all materials, concrete is susceptible to wear and damage over time. Understanding the methods for repairing minor concrete breaks in foundations is crucial in maintaining structural integrity and avoiding more severe issues. The distinction between minor and severe concrete breaks plays a significant role in determining the appropriate repair strategy.

Minor concrete breaks typically manifest as small cracks or surface imperfections that do not compromise the overall strength of the foundation. These can be caused by shrinkage during curing, thermal expansion and contraction, or slight settlement of the structure.

While these breaks may seem insignificant initially, they can potentially allow water infiltration or serve as points of stress concentration that could lead to more extensive damage if left unaddressed.

Documenting minor versus severe concrete breaks is essential for effective maintenance planning. Minor breaks are generally less than 1/8 inch wide and do not penetrate deeply into the concrete. They primarily affect aesthetics but can also hint at early-stage structural concerns. Conversely, severe breaks often exceed this width, involve displacement along joints or surfaces, or show signs of underlying structural issues such as rebar corrosion or foundational movement.

The repair methods for minor concrete breaks focus on sealing and reinforcing to prevent further deterioration. One common approach is using epoxy injections, where low-viscosity epoxy resin is injected into cracks to bond the sides together and restore tensile strength. This method is especially effective for narrow cracks that require a strong adhesive bond.

Another technique is applying sealants or fillers specifically designed for surface-level repairs.

Documenting Minor vs Severe Concrete Breaks - foundation

1. steel
2. foundation
3. Brentwood

These materials provide a barrier against moisture ingress while accommodating slight movements in the foundation due to thermal changes or settling. For aesthetic repairs, colored sealants that match the existing concrete can be used to maintain visual consistency.

For slightly larger but still minor breaks, surface patching with cementitious materials might be employed. This involves cleaning out loose debris from the crack and applying a patching compound that adheres well to old concrete surfaces. The patched area should be smoothed out to blend seamlessly with surrounding areas.

In documenting these repairs, it's important to maintain detailed records indicating location, size, cause (if known), repair method used, and any observable changes over time post-repair. Such documentation aids in assessing whether patterns exist that might signal transitioning from minor to more serious issues needing comprehensive intervention.

Preventive measures complement repair efforts by mitigating factors contributing to new break formation—ensuring proper drainage away from foundations reduces hydrostatic pressure; regular inspection identifies potential problems early; controlling vegetation growth near structures prevents root invasion into foundations; managing load distribution ensures even settlement across slabs.

Ultimately understanding when a break transitions from minor requiring routine maintenance versus severe necessitating professional evaluation protects both short-term safety interests while preserving long-term investment value inherent within foundational systems supporting built environments everywhere globally today tomorrow alike!

Preventative Measures: Tips for homeowners to minimize the risk of foundation damage from seasonal soil changes.

Addressing foundation cracks is a critical task for maintaining the structural integrity of any building. Concrete, while durable, is not immune to wear and tear over time, and cracks are a common issue that can range from minor to severe. Understanding the distinction between minor and severe concrete breaks is essential for implementing effective strategies to address them.

Minor concrete cracks often manifest as hairline fractures that do not compromise the building's structural integrity. These are typically caused by shrinkage during the curing process or minor settling of the building. While they may seem insignificant at first glance, documenting these minor breaks is crucial. Regular monitoring allows homeowners or property managers to observe any changes in size or pattern over time. This documentation serves as an early warning system, alerting when intervention might be necessary before these minor issues escalate into more significant problems.

On the other hand, severe foundation cracks tend to be wider and deeper than their minor counterparts and may indicate underlying issues such as soil movement, poor drainage, or inadequate construction practices. These types of cracks can jeopardize the stability of a structure if left unaddressed. Therefore, identifying them accurately through proper documentation is vital.

Documenting Minor vs Severe Concrete Breaks – steel

1. customer
2. drainage
3. Nashville

To effectively document severe foundation cracks, it's important to measure their width, depth, and length meticulously. Photographic evidence should accompany written records to provide a clear visual reference over time. Marking the endpoints of each crack with a marker can help track their progression easily. Additionally, noting environmental factors such as recent weather conditions or nearby construction activities provides context that might explain sudden changes in crack development.

When addressing severe foundation cracks, several strategies can be employed depending on the root cause of the damage:

1. **Professional Inspection:** A thorough examination by a structural engineer is often necessary to diagnose the problem accurately and recommend appropriate remedies.

2. **Crack Injection:** For some severe but stable cracks, injecting epoxy resin can seal them effectively and restore some degree of structural integrity.

3. **Underpinning:** This technique involves strengthening and stabilizing existing foundations when soil conditions have shifted significantly underneath a structure.

4. **Drainage Improvements:** If poor water management is contributing to foundation issues, regrading landscapes or installing new drainage systems could mitigate further damage.

5. **Carbon Fiber Reinforcement:** In certain cases where walls need additional support without extensive reconstruction work, carbon fiber strips may be applied for added strength.

Each response strategy should align with comprehensive documentation efforts so that any measures undertaken are both informed by historical data on crack progression and tailored specifically towards resolving identified concerns efficiently.

In conclusion, distinguishing between minor versus severe concrete breaks through diligent documentation enables proactive maintenance strategies that safeguard buildings against potential hazards posed by unchecked deterioration processes—ultimately fostering safer living environments while preserving property values long-term..

Case Studies and Real-Life Examples: Examination of past incidents where shifting soils led to significant foundation issues and subsequent repairs.

The importance of regular inspection and maintenance in the context of documenting minor versus severe concrete breaks cannot be overstated. Concrete, an essential material in modern construction, relies heavily on its structural integrity to ensure safety and longevity. Over time, however, environmental factors such as weather changes, chemical exposure, and physical stress can lead to the deterioration of concrete

structures. This is where regular inspection and meticulous documentation become vital.

Firstly, regular inspections are crucial for identifying early signs of wear and tear in concrete structures. Minor breaks or cracks might seem insignificant initially but could potentially escalate into severe damage if left unaddressed. By conducting routine checks, inspectors can detect these minor imperfections at an early stage. Early detection not only facilitates timely repairs but also helps in maintaining the overall health of the structure, thereby prolonging its lifespan.

Moreover, distinguishing between minor and severe breaks during inspections plays a significant role in allocating appropriate resources for maintenance. Minor cracks might require simple sealing or patching techniques, whereas severe breaks could necessitate comprehensive reconstruction efforts. Accurate documentation during inspections ensures that each type of break is addressed with the right level of intervention. This approach not only optimizes repair costs but also prevents unnecessary expenditure on areas that do not require extensive work.

In addition to cost efficiency and resource allocation, documenting the condition of concrete structures over time provides valuable data that can inform future construction practices. Detailed records help engineers understand common causes behind both minor and severe breaks and develop strategies to mitigate these issues in new projects. Thus, regular inspections coupled with thorough documentation contribute not only to immediate repairs but also to advancements in building materials and techniques.

Furthermore, from a safety perspective, regular inspection is non-negotiable. Severe concrete damage poses significant risks to human life and property. A seemingly minor crack could compromise a structure's load-bearing capacity over time if it develops into something more serious without detection or intervention. Regular maintenance based on detailed inspection reports ensures that potential hazards are identified before they pose

real threats.

In conclusion, the importance of regular inspection and maintenance when it comes to documenting minor versus severe concrete breaks is multifaceted. It encompasses preserving structural integrity through early detection, optimizing repair costs by categorizing damages appropriately, contributing valuable insights for future construction improvements, and most importantly ensuring public safety by preventing catastrophic failures. As we continue to rely on concrete as a cornerstone material in our infrastructure development worldwide, prioritizing these practices will remain essential for sustainable growth and resilience against natural wear over time.



About drainage


For the medical term, see Incision and drainage.

"Land drainage" redirects here. For other uses, see Land drainage (disambiguation).

This article **needs additional citations for verification**. Please help improve this article by adding citations to reliable sources. Unsourced material may be challenged and removed.



Find sources: "Drainage" – news · newspapers · books · scholar · JSTOR (September 2007) *(Learn how and when to remove this message)*



High-density polyethylene pipe installation in a storm drain project, Mexico.


Drainage is the natural or artificial removal of a surface's water and sub-surface water from an area with excess water. The internal drainage of most agricultural soils can prevent severe waterlogging (anaerobic conditions that harm root growth), but many soils need artificial drainage to improve production or to manage water supplies.

History

[edit]

Early history

[edit]




Remains of a drain at Lothal circa 3000 BC

The Indus Valley Civilization had sewerage and drainage systems. All houses in the major cities of Harappa and Mohenjo-daro had access to water and drainage facilities. Waste water was directed to covered gravity sewers, which lined the major streets.^[1]

18th and 19th century

[edit]



Tank Stream, a historical drain in the City of Sydney, Australia

The invention of hollow-pipe drainage is credited to Sir Hugh Dalrymple, who died in 1753.^[2]

Current practices

[edit]

Geotextiles

[edit]

New storm water drainage systems incorporate geotextile filters that retain and prevent fine grains of soil from passing into and clogging the drain. Geotextiles are synthetic textile fabrics specially manufactured for civil and environmental engineering applications. Geotextiles are designed to retain fine soil particles while allowing water to pass through. In a typical drainage system, they would be laid along a trench which would then be filled with coarse granular material: gravel, sea shells, stone or rock. The geotextile is then folded over the top of the stone and the trench is then covered by soil. Groundwater seeps through the geotextile and flows through the stone to an outfall. In high groundwater conditions a perforated plastic (PVC or PE) pipe is laid along the base of the drain to increase the volume of water transported in the drain.

Alternatively, a prefabricated plastic drainage system made of HDPE, often incorporating geotextile, coco fiber or rag filters can be considered. The use of these materials has become increasingly more common due to their ease of use, since they eliminate the need for transporting and laying stone drainage aggregate, which is invariably more expensive than a synthetic drain and concrete liners.

Over the past 30 years, geotextile, PVC filters, and HDPE filters have become the most commonly used soil filter media. They are cheap to produce and easy to lay, with factory controlled properties that ensure long term filtration performance even in fine silty soil conditions.

21st century alternatives

[edit]

Seattle's Public Utilities created a pilot program called Street Edge Alternatives Project. The project focuses on designing a system "to provide drainage that more closely mimics the natural landscape prior to development than traditional piped systems".^[3] The streets are characterized by ditches along the side of the roadway, with plantings designed throughout the area. An emphasis on non-curbed sidewalks allows water to flow more freely into the areas of permeable surface on the side of the streets. Because of the plantings, the run off water from the urban area does not all directly go into the ground, but can also be absorbed into the surrounding environment. Monitoring conducted by Seattle Public Utilities reports a 99 percent reduction of storm water leaving the drainage project.^[3]

Drainage has undergone a large-scale environmental review in the recent past^[when?] in the United Kingdom. Sustainable urban drainage systems (SUDS) are designed to encourage contractors to install drainage system that more closely mimic the natural flow of water in nature. Since 2010 local and neighbourhood planning in the UK is required by law to factor SUDS into any development projects that they are responsible for.

Slot drainage is a channel drainage system designed to eliminate the need for further pipework systems to be installed in parallel to the drainage, reducing the environmental impact of production as well as improving water collection. Stainless steel, concrete channel, PVC and HDPE are all materials available for slot drainage which have become industry standards on construction projects.

In the construction industry

[edit]

The civil engineer is responsible for drainage in construction projects. During the construction process, they set out all the necessary levels for roads, street gutters, drainage, culverts and sewers involved in construction operations.

Civil engineers and construction managers work alongside architects and supervisors, planners, quantity surveyors, and the general workforce, as well as subcontractors. Typically, most jurisdictions have some body of drainage law to govern to what degree a landowner can alter the drainage from their parcel.

Drainage options for the construction industry include:

- Point drainage, which intercepts water at gullies (points). Gullies connect to drainage pipes beneath the ground surface, so deep excavation is required to facilitate this system. Support for deep trenches is required in the shape of planking, strutting or shoring.
- Channel drainage, which intercepts water along the entire run of the channel. Channel drainage is typically manufactured from concrete, steel, polymer or composites. The interception rate of channel drainage is greater than point drainage and the excavation required is usually much less deep.

The surface opening of channel drainage usually comes in the form of gratings (polymer, plastic, steel or iron) or a single slot (slot drain) that run along the ground surface (typically manufactured from steel or iron).

In retaining walls

[edit]

Earth retaining structures such as retaining walls also need to have groundwater drainage considered during their construction. Typical retaining walls are constructed of impermeable material, which can block the path of groundwater. When groundwater flow is obstructed, hydrostatic water pressure builds up against the wall and may cause significant damage. If the water pressure is not drained appropriately, retaining walls can bow, move, and fracture, causing seams to separate. The water pressure can also erode soil particles, leading to voids behind the wall and sinkholes in the above soil. Traditional retaining wall drainage systems can

include French drains, drain pipes or weep holes. To prevent soil erosion, geotextile filter fabrics are installed with the drainage system.

In planters

[edit]


Drainage in planters refers to the implementation of effective drainage systems specifically designed for plant containers or pots. Proper drainage is crucial in planters to prevent waterlogging and promote healthy plant growth. Planter Drainage involves the incorporation of drainage holes, drainage layers, or specialized drainage systems to ensure excess water can escape from the planter. This helps to prevent root rot, water accumulation, and other issues that can negatively impact plant health. By providing adequate drainage in planters, it supports optimal plant growth and contributes to the overall success of gardening or landscaping projects.[⁴]

Drainage options for the planter include:

- Surface drains are typically used to manage runoff from paved surfaces, such as sidewalks and parking lots. Catch basins, which collect water and debris, are connected to underground pipes that carry the water away from the site.[⁴]
- Subsurface drains, on the other hand, are designed to manage water that seeps into the soil beneath the planting surface. French drains, which are gravel-filled trenches with perforated pipes at the bottom, are the most common type of subsurface drain. Trench drains, which are similar but shallower and wider, are also used in some situations.[⁴]

Reasons for artificial drainage

[edit]



An agricultural drainage channel outside Magome, Japan after a heavy rain. Protuberances create turbulent water, preventing sediment from settling in the channel.

Wetland soils may need drainage to be used for agriculture. In the northern United States and Europe, glaciation created numerous small lakes, which gradually filled with humus to make marshes. Some of these were drained using open ditches and trenches to make mucklands, which are primarily used for high-value crops such as vegetables.

The world's largest project of this type has been in process for centuries in the Netherlands. The area between Amsterdam, Haarlem and Leiden was, in prehistoric times, swampland and small lakes. Turf cutting (peat mining), subsidence and shoreline erosion gradually caused the formation of one large lake, the Haarlemmermeer, or lake of Haarlem. The invention of wind-powered pumping engines in the 15th century permitted some of the marginal land drainage. Still, the final drainage of the lake had to await the design of large steam-powered pumps and agreements between regional authorities. The lake was eliminated between 1849 and 1852, creating thousands of km² of new land.

Coastal plains and river deltas may have seasonally or permanently high water tables and must have drainage improvements if they are to be used for agriculture. An example is the flatwoods citrus-growing region of Florida, United States. After periods of high rainfall, drainage pumps are employed to prevent damage to the

citrus groves from overly wet soils. Rice production requires complete water control, as fields must be flooded or drained at different stages of the crop cycle. The Netherlands has also led the way in this type of drainage by draining lowlands along the shore and pushing back the sea until the original nation has been greatly enlarged.

In moist climates, soils may be adequate for cropping with the exception that they become waterlogged for brief periods each year, from snow melt or from heavy rains. Soils that are predominantly clay will pass water very slowly downward. Meanwhile, plant roots suffocate because the excessive water around the roots eliminates air movement through the soil.

Other soils may have an impervious layer of mineralized soil, called a hardpan, or relatively impervious rock layers may underlie shallow soils. Drainage is especially important in tree fruit production. Soils that are otherwise excellent may be waterlogged for a week of the year, which is sufficient to kill fruit trees and cost the productivity of the land until replacements can be established. In each of these cases, appropriate drainage carries off temporary flushes of water to prevent damage to annual or perennial crops.

Drier areas are often farmed by irrigation, and one would not consider drainage necessary. However, irrigation water always contains minerals and salts, which can be concentrated to toxic levels by evapotranspiration. Irrigated land may need periodic flushes with excessive irrigation water and drainage to control soil salinity.

A typical drain in Bankstown, New South Wales

A typical drain in Bankstown, New South Wales, Australia

See also

[edit]

- Surface drainage of the land
 - Drainage system (geomorphology), pattern of natural drains, streams, rivers, etc.
 - Land drainage in the United Kingdom – a legal and operational term in the UK to define a range of functions and responsibilities of drainage boards.
 - Surface runoff, surface runoff of excess rainfall from the land
 - Drainage system (agriculture), land forming or land shaping to enhance the drainage from the soil surface in agricultural land
 - Contour plowing, controlling runoff and soil erosion
- Subsurface (groundwater) drainage
 - Horizontal drainage by pipes and ditches
 - Tile drainage
 - Vertical drainage by wells
 - Well drainage
 - Watertable control

Otherwise:

- Bar ditch
- Building construction
- Deep drainage
- Drain commissioner
- Drain (plumbing)
- Drainage basin or watershed
- Drainage divide or watershed
- Drainage equation
- Drainage research
- Geomorphology
- Hydrologic Evaluation of Landfill Performance

- Hydrology
- John Johnston, who introduced land drainage to the United States.
- Plumbing
 - Potable cold and hot water supply
 - Septic systems
 - Sewage traps, drains, and vents
- Rain gutter
- Retaining wall
- Sewage collection and disposal
- Soil salinity control by subsurface drainage
- Storm drain
- Stormwater
- Trench drain
- Trencher (machine)
- Urban exploration



References

[edit]

1. [^] Arthur Coterell (1980). *The Encyclopedia of Ancient Civilisations*. Rainbird Publishers. pp. 176–178. ISBN 0-7112-0036-X.
2. [^] "Broadside eulogy dedicated to Patrick, Earl of Marchmont, Sir Hugh Dalrymple, and others". National Library of Scotland Digital Gallery. 1705. Retrieved 5 April 2015.
3. [^] **a b** "Street Edge Alternatives (SEA Streets) Project". Seattle.gov. Archived from the original on Dec 5, 2008.
4. [^] **a b c** "4 Expert Tips for Perfect Planter Drainage". drainservice.org. 15 April 2023. Archived from the original on June 30, 2023. Retrieved July 1, 2023.

External links

[edit]

-  Media related to Drainage at Wikimedia Commons
-  The dictionary definition of *drainage* at Wiktionary
- v
- t

o e

Agricultural water management

Irrigation

- o Surface irrigation
- o Drip irrigation
- o Tidal irrigation
- o Irrigation statistics
- o Irrigation management
- o Irrigation environmental impacts
- o Ditch

Subsurface drainage

- o Tile drainage
- o Drainage equation
- o Drainage system (agriculture)
- o Watertable control
- o Drainage research
- o Drainage by wells
- o Contour trenching

Surface water/runoff

- o Hydrological model
- o Hydrological transport model
- o Runoff model (reservoir)
- o Groundwater flow
- o Groundwater energy balance

Groundwater

- o Groundwater model
- o Hydraulic conductivity
- o Watertable
- o Acid sulphate soils

Problem soils

- o Alkali soils
- o Saline soils

**Agro-hydro-
salinity
group**

- Hydrology (agriculture)
- Soil salinity control
- Leaching model (soil)
- SaltMod integrated model
- SahysMod polygonal model: Saltmod coupled to a groundwater model

**Related
topics**

- Sand dam

- v
- t
- e

Infrastructure

- Bridge
- Canal
- Causeway
- Dam
- Drainage
- Footbridge
- Interchange
- Levee
- Overpass
- Pipeline
- Road
- Skyway
- Storm drain
- Tunnel

- *See also:* Architecture
- Arena
- Civil engineering
- Construction
- Playground
- Public
- Stadium
- Theater
- Urban park

Authority control databases Image not found or type unknown
Edit this at Wikidata

National

- Germany
- United States
- France
- BnF data
- Czech Republic
- Israel

Other

- NARA

About United Structural Systems of Illinois, Inc

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Things To Do in Cook County

Photo

Image not found or type unknown

South Shore Nature Sanctuary

4.8 (93)

Photo

Image not found or type unknown

Schiller Woods

4.7 (1582)

Photo

Pullman National Historical Park

4.7 (621)

Photo

Image not found or type unknown

Chicago's Chinatown Gateway

4.4 (422)

Photo

Image not found or type unknown

The Art Institute of Chicago

4.8 (34003)

Photo

Skydeck Chicago

4.6 (32634)

Driving Directions in Cook County

Driving Directions From dr. Joanna Pozdal to United Structural Systems of Illinois, Inc

Driving Directions From Suburban Associates in Ophthalmology to United Structural Systems of Illinois, Inc

Driving Directions From Country Inn & Suites by Radisson, Hoffman Estates, IL to United Structural Systems of Illinois, Inc

[foundationcrack repair companies](#)

[Waterproofing service](#)

[Concrete contractor](#)

Driving Directions From Willis Tower to United Structural Systems of Illinois, Inc

Driving Directions From Chicago Botanic Garden to United Structural Systems of Illinois, Inc

Driving Directions From Skydeck Chicago to United Structural Systems of Illinois, Inc

Driving Directions From Chicago Botanic Garden to United Structural Systems of Illinois, Inc

Driving Directions From Chicago Portage National Historic Site to United Structural Systems of Illinois, Inc

Driving Directions From Chicago's Chinatown Gateway to United Structural Systems of Illinois, Inc

foundation repair near me

foundation crack repair service

foundation crack repair

foundationcrack repair companies

Waterproofing service

Reviews for United Structural Systems of Illinois, Inc

United Structural Systems of Illinois, Inc

Image not found or type unknown

Dave Kari

(5)

What a fantastic experience! Owner Rick Thomas is a trustworthy professional. Nick and the crew are hard working, knowledgeable and experienced. I interviewed every company in the area, big and small. A homeowner never wants to hear that they have foundation issues. Out of every company, I

trusted USS the most, and it paid off in the end. Highly recommend.

United Structural Systems of Illinois, Inc

Image not found or type unknown

Sarah McNeily

(5)

USS was excellent. They are honest, straightforward, trustworthy, and conscientious. They thoughtfully removed the flowers and flower bulbs to dig where they needed in the yard, replanted said flowers and spread the extra dirt to fill in an area of the yard. We've had other services from different companies and our yard was really a mess after. They kept the job site meticulously clean. The crew was on time and friendly. I'd recommend them any day! Thanks to Jessie and crew.

United Structural Systems of Illinois, Inc

Image not found or type unknown

Jim de Leon

(5)

It was a pleasure to work with Rick and his crew. From the beginning, Rick listened to my concerns and what I wished to accomplish. Out of the 6 contractors that quoted the project, Rick seemed the MOST willing to accommodate my wishes. His pricing was definitely more than fair as well. I had 10 push piers installed to stabilize and lift an addition of my house. The project commenced at the date that Rick had disclosed initially and it was completed within the same time period expected (based on Rick's original assessment). The crew was well informed, courteous, and hard working. They were not loud (even while equipment was being utilized) and were well spoken. My neighbors were very impressed on how polite they were when they entered / exited my property (saying hello or good morning each day when they crossed paths). You can tell they care about the customer concerns. They ensured that the property would be put back as clean as possible by placing MANY sheets of plywood down prior to excavating. They compacted the dirt back in the holes extremely well to avoid large stock piles of soils. All the while, the main office was calling me to discuss updates and expectations of completion. They provided waivers of lien, certificates of insurance, properly acquired permits, and JULIE locates. From a construction background, I can tell you that I did not see any flaws in the way they operated and this an extremely professional company. The pictures attached show the push piers added to the foundation (pictures 1, 2 & 3), the amount of excavation (picture 4), and the restoration after dirt was placed back in the pits and compacted (pictures 5, 6 & 7). Please notice that they also sealed two large cracks and steel plated these cracks from expanding further (which you can see under my sliding glass door). I, as well as my wife, are extremely happy

that we chose United Structural Systems for our contractor. I would happily tell any of my friends and family to use this contractor should the opportunity arise!

United Structural Systems of Illinois, Inc

Image not found or type unknown

Paul Gunderlock

(4)

The staff was helpful, very nice and easy to work with and completed the work timely and cleaned up well. Communications faltered a bit at times and there was an email communications glitch which was no fault of anyone, but no big deal and all ended up fine. We sure feel better to have this done and hope that is the end of our structural issues. It does seem like (after talking to several related companies), that it would be great if some of these related companies had a structural engineer on staff vs using on the job expertise gained over years – which is definitely valuable! But leaves a bit of uncertainty – and probably saves money for both sides may be the trade-off? So far, so good though! Thank you.

United Structural Systems of Illinois, Inc

Image not found or type unknown

Chris Abplanalp

(5)

USS did an amazing job on my underpinning on my house, they were also very courteous to the proximity of my property line next to my neighbor. They kept things in order with all the dirt/mud they had to excavate. They were done exactly in the timeframe they indicated, and the contract was very details oriented with drawings of what would be done. Only thing that would have been nice, is they left my concrete a little muddy with boot prints but again, all-in-all a great job

Documenting Minor vs Severe Concrete Breaks [View GBP](#)

Check our other pages :

- [Managing Water Accumulation Around Foundation Walls](#)
- [Tracking Seasonal Rainfall Data for Preventive Measures](#)
- [Recognizing the Role of Poor Grading in Soil Settlement](#)

Frequently Asked Questions

What distinguishes a minor concrete break from a severe one in foundation crack repairs?

A minor concrete break typically involves small, superficial cracks that do not compromise the structural integrity of the foundation. These might be less than 1/8 inch wide and can often be repaired with simple patching. Severe breaks are larger, deeper cracks or those that indicate movement or settling of the foundation, potentially compromising structural stability and requiring more extensive repair solutions.

How should minor concrete breaks be documented for future reference?

Minor concrete breaks should be documented by taking clear photographs with measurements indicating the width and length of the cracks. Record the date of observation, location on the foundation, and any changes over time to track progression. This documentation helps in monitoring any deterioration or expansion over time.

What signs indicate that a concrete break has escalated from minor to severe?

Signs that a concrete break has become severe include widening of cracks beyond 1/8 inch, noticeable shifting or displacement along the crack line, water infiltration through cracks leading to moisture problems inside, and misalignment of doors or windows indicating possible structural shifts.

What are common repair methods for severe concrete breaks in foundations?

Repair methods for severe concrete breaks include epoxy injections to fill deep cracks, underpinning techniques like using helical piers for stabilization if there is significant settling, carbon fiber straps for reinforcement, and replacing sections of damaged foundation when necessary. Each method depends on specific conditions and severity assessed by a professional.

United Structural Systems of Illinois, Inc

Phone : +18473822882

City : Hoffman Estates

State : IL

Zip : 60169

Address : Unknown Address

Google Business Profile

Company Website : <https://www.unitedstructuralsystems.com/>

Sitemap

[Privacy Policy](#)

[About Us](#)

Follow us